L Number	Hits	Search Text	DB	Time stamp
- Number	63	(session near8 identif\$4) and (digest	USPAT;	2003/03/23
		nearl1 (messag\$4 key\$4))	EPO; JPO; DERWENT;	18:32
	ļ		IBM_TDB	
_	22	((server near11 (multipl\$4 pluralit\$4	USPAT;	2003/03/20
		many)) and (session near8 identif\$4) and	EPO; JPO;	15:59
		(second near11 server)) and (digest near11 (messag\$4 key\$4))	DERWENT; IBM TDB	
_	428	(server nearl1 (multipl\$4 pluralit\$4	USPAT;	2003/03/20
		many)) and (session near8 identif\$4) and	EPO; JPO;	17:46
		((second different another) near11	DERWENT;	
		server)	IBM_TDB	/ /
-	15	((server nearl1 (multipl\$4 pluralit\$4	USPAT;	2003/03/20
		many)) and (session near8 identif\$4) and ((second different another) near11	EPO; JPO; DERWENT;	16:35
		server)) and (digest\$4 near11 (messag\$4	IBM TDB	
		key\$4)) and (secur\$4 near8 session) and	1511_155	
		(stat\$4 near8 (information data packet\$4		
		bit\$4)) and (ssl (secur\$4 adj socket\$4		
		adj layer)) and databas\$4		
_	19	(	USPAT;	2003/03/20
		many)) and (session near8 identif\$4) and (digest\$4 near11 (messag\$4 key\$4)) and	EPO; JPO; DERWENT;	17:48
		(secur\$4 near8 session) and (stat\$4 near8	IBM TDB	
		(information data packet\$4 bit\$4)) and	12.1_100	
		(ssl (secur\$4 adj socket\$4 adj layer))		
		and (stat\$4 near11 databas\$4) and		
		((send\$4 forward\$4 transmi\$8 transfer\$6		
		receiv\$4 retriev\$4) near11 stat\$4 near11		
		(information data packet\$4 fram\$4 bit\$4 fil\$4))		
_	6	((server near11 (multipl\$4 pluralit\$4	USPAT;	2003/03/20
		many)) and (session near8 identif\$4) and	EPO; JPO;	18:11
		((second different another) near11	DERWENT;	
		(server connection))) and (stat\$4 near11	IBM_TDB	
		(information data packet\$4 bit\$4) near11		
		databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4		
		transmi\$8 transfer\$6 receiv\$4 retriev\$4)		
		near11 stat\$4 near11 (information data		
		packet\$4 fram\$4 bit\$4 fil\$4)) not		
		(((server near11 (multipl\$4 pluralit\$4		
		many)) and (session near8 identif\$4) and		
		((second different another) near11 (server connection))) and (digest\$4		
		nearl1 (messag\$4 key\$4)) and (stat\$4		
		nearl1 (information data packet\$4 bit\$4)		
		near11 databas\$4) and (ssl (secur\$4 adj		
		socket\$4 adj layer)) and ((send\$4		
		forward\$4 transmi\$8 transfer\$6 receiv\$4		
		retriev\$4) nearl1 stat\$4 nearl1 (information data packet\$4 fram\$4 bit\$4		
		fil\$4)))		
_	84	((server near11 (multipl\$4 pluralit\$4	USPAT;	2003/03/21
		many)) and (session near8 identif\$4) and	EPO; JPO;	08:36
		((second different another) near11	DERWENT;	
		server)) and (secur\$4 near8 session)	IBM_TDB	
-	482	(server near11 (multipl\$4 pluralit\$4	USPAT;	2003/03/21
		many)) and (session near8 identif\$4) and ((second different another) near11	EPO; JPO; DERWENT;	08:36
		((second different another) hearif (server connection))	IBM TDB	
_	1	(DOLVOL COMMODITOR)	10D	L

_	5	<pre>(server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4 near11 stat\$4) and ((second different another) near11 (server connection)) and (ssl (secur\$4 adj socket\$4 adj layer))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 18:21
	9	and (secur\$4 near8 session) not (((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (digest\$4 near11 (messag\$4 key\$4)) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4))) (server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4 near11 stat\$4) and ((second different another) near11 (server connection)) and (ssl (secur\$4 adj socket\$4 adj layer)) not (((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (digest\$4 near11 (messag\$4 key\$4)) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 bit\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:50
-	1	fil\$4))) (server near11 (multipl\$4 pluralit\$4 many) same stat\$4 near8 (information data packet\$4 bit\$4) near11 identif\$5) and (ssl (secur\$4 adj socket\$4 adj layer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:35
	19	not bowman\$7.in.  ((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) near11 (server connection))) and (digest\$4 near11 (messag\$4 key\$4)) and (stat\$4 near11 (information data packet\$4 bit\$4) near11 databas\$4) and (ssl (secur\$4 adj socket\$4 adj layer)) and ((send\$4 forward\$4 transmi\$8 transfer\$6 receiv\$4 retriev\$4) near11 stat\$4 near11 (information data packet\$4 fram\$4 bit\$4 fil\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 17:01
-	57	<pre>(session near8 identif\$4) and (messag\$4 adj2 digest )</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/09 15:33
-	, 9 ,	((server nearl1 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and ((second different another) nearl1 server)) and (digest\$4 nearl1 (messag\$4 key\$4)) and (secur\$4 near8 session) and (stat\$4 near8 (information data packet\$4 bit\$4)) and (ssl (secur\$4 adj socket\$4 adj layer)) and (stat\$4 nearl1 databas\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 15:38
-	24		USPAT; EPO; JPO; DERWENT; IBM TDB	2003/07/09 15:48
-	22	((server nearl1 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and (second nearl1 server)) and (digest\$4 nearl1 (messag\$4 key\$4)) and (secur\$4 near8 session)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 12:46
L	<u> </u>		<u> </u>	1

		•		
<u> </u>	20	((server near11 (multipl\$4 pluralit\$4	USPAT;	2003/11/05
		many)) and (session near8 identif\$4) and	EPO; JPO;	14:59
	İ	((second different another) near11	DERWENT;	
		server)) and (digest\$4 near11 (messag\$4 key\$4)) and (secur\$4 near8 session) and	IBM_TDB	
		(stat\$4 near8 (information data packet\$4		
		bit\$4)) and (ssl (secur\$4 adj socket\$4		
		adj layer))		
_	1019	(maintain\$4 with (key public privat\$4	USPAT	2003/11/05
		cryptograph\$4 encrypt\$6)) and (new\$3 with		15:54
		(connection shar\$4 session))		
-	2405	((maintain\$4 "same") with (key public	USPAT	2003/11/05
		privat\$4 cryptograph\$4 encrypt\$6)) and		16:03
		(new\$3 with (connection shar\$4 session))		0000/11/05
_	120	(server near11 (multipl\$4 pluralit\$4	USPAT;	2003/11/05
		many)) and (session near8 identif\$4) and	EPO; JPO; DERWENT;	15:55
		((second different another) near11 (server connection)) and (secur\$4 near8	IBM TDB	
		session)	1517_155	
_	61	((server nearl1 (multipl\$4 pluralit\$4	USPAT;	2003/11/05
		many)) and (session near8 identif\$4) and	EPO; JPO;	16:03
		((second different another) near11	DERWENT;	
		(server connection)) and (secur\$4 near8	IBM TDB	
		session)) and (((maintain\$4 "same") with	_	
		(key public privat\$4 cryptograph\$4		
İ		encrypt\$6)) and (new\$3 with (connection		
		shar\$4 session)))	HCD2m.	2002/11/05
-	55		USPAT; EPO; JPO;	2003/11/05 16:03
	1	many)) and (session near8 identif\$4) and ((second different another) near11	DERWENT;	16:03
		(server connection)) and (secur\$4 near8	IBM TDB	
		session)) and (((maintain\$4 "same") with	15155	
		(key public privat\$4 cryptograph\$4		
		encrypt\$6)) and (new\$3 with (connection		
		shar\$4 session)))) not accenture.as.		
-	4869	((maintain\$4 "same") with (key public	USPAT	2003/11/05
		privat\$4 cryptograph\$4 encrypt\$6) same		16:12
	40	(connection shar\$4 session))	TTCDAM.	2002/11/05
<del>-</del>	40	((server near11 (multipl\$4 pluralit\$4 many)) and (session near8 identif\$4) and	USPAT; EPO; JPO;	2003/11/05 16:03
	·	((second different another) near11	DERWENT;	10.03
		(server connection)) and (secur\$4 near8	IBM TDB	
		session)) and (((maintain\$4 "same") with		
		(key public privat\$4 cryptograph\$4		
		encrypt\$6) same (connection shar\$4		
		session)))		, ,
-	63	((ssl (secur\$4 adj socket\$4 adj layer))	USPAT;	2003/11/05
		same session same (maintain\$4 "same") same (server firewall gateway prox\$4))	EPO; JPO;	16:45
		same (server firewall dareway brox54))	DERWENT; IBM TDB	
_	28	((server nearl1 (multipl\$4 pluralit\$4	USPAT;	2003/11/05
		many)) and (session near8 identif\$4) and	EPO; JPO;	17:33
	1	(second near11 server)) and (digest\$4	DERWENT;	
		near11 (messag\$4 key\$4))	IBM_TDB	
_	47		USPAT;	2003/11/05
		many)) and ((second different another)	EPO; JPO;	17:33
		near11 server) and (ssl (secur\$4 adj	DERWENT;	
		socket\$4 adj layer)) and (stat\$4 near8	IBM_TDB	
		(information data packet\$4 bit\$4) near11 identif\$5)		
_	21	((server near11 (multipl\$4 pluralit\$4	USPAT;	2003/11/05
	"	many)) and (session near8 identif\$4) and	EPO; JPO;	17:33
!		((second different another) near11	DERWENT;	
		server)) and (digest\$4 near11 (messag\$4	IBM_TDB	
		key\$4)) and (secur\$4 near8 session) and	_	
		(stat\$4 near8 (information data packet\$4		
		bit\$4))		0000/25/05
-	26	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/11/05
		many)) and (session near8 identif\$4) and ((second different another) near11	EPO; JPO; DERWENT;	17:33
1		((second different another) hearif   server)) and (digest\$4 hearif (messag\$4	IBM TDB	
	1	key\$4)) and (secur\$4 near8 session)	****-***	
L	<del></del>	1 4// (		

Search History 11/5/03 5:39:53 PM Page 3